

### Product Description

Blown Castor Oil  
CAS no 68187-84-8

Blown castor oils are show excellent lubricity properties . They are obtained by the oxidation of castor oil at moderate temperature.

### Sales Specifications

Properties	Units	Specifications	Typical values	Test Method
Appearance	-	Viscous liquid	Viscous Liquid	Visual
Colour	Gardner	15 max	12	ASTM D1544
Acid value	mgKOH/g	25 max	15	OLEO A250
Viscosity 20°C	dPa.s	270 - 330	300	ASTM D4287

Liabilities. All recommendatons for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply. Please see our website for details.

Boedal Ltd, 11 Portland Street, Southampton SO14 7EB, England  
Company number : 6578081 VAT number : GB 936 634 892  
www.boedal.com e-mail : info@boedal.com  
Tel + 44 (0)2380 089083 Fax + 44 (0)2380 335784